




**PT. ETERNAL BUANA CHEMICAL INDUSTRIES**




BARCLAYS HOUSE, 7th FLOOR  
JI. JEND. SUDIRMAN KAV 22-23 JAKARTA  
Phone: (021) 5712998, Fax: (021) 5712678

No. : EBCI/MSDS/8010  
Issue date : June 01, 2001  
Rev. no. :  
Rev. date :  
Page no. : 1 of 3

**MATERIAL SAFETY DATA SHEET****I. PRODUCT IDENTIFICATION**





 Product name : EBINO 8322-60  
 Common chemical name : Amino resin  
 Synonyms : -

**II. INFORMATION ON INGREDIENT**





Hazardous Ingredients	%	CAS Number	EC number
 iso-butanol	: 10 - 20	78-92-2	201-158-5
 Xylene	: 10 - 20	1330-20-7	215-535-7
 Formaldehyde	: < 1.5	50-00-0	200-001-8

**III. HAZARD IDENTIFICATION**






## Potential Health Effect:

 Eye contact: : Irritating to eyes  
 Skin contact : Frequent or prolonged contact may irritate skin slightly.  
 Ingestion : Sore throat, stomach, headache, dizziness, dullness, and vomiting.  
 Ingestion : Irritating throat and respiratory tract in high concentration.

**IV. FIRST AID MEASURES**

 Eye contact: : Rinse with plenty of water immediately. Seek medical attention.  
 Skin contact : Wash with plenty of soap and water immediately. Take the contaminated clothing off. Seek medical attention if irritation develops.  
 Ingestion : Do not induce vomiting because of risk of aspiration. Rinse mouth with water. Seek medical attention.  
 Inhalation : Move to fresh air and take a rest. Apply artificial respiration if difficulty in breathing. Seek medical attention after significant exposure.

**V. FIRE FIGHTING MEASURES**

 Flash Point : 37.0°C (tag closed cup).  
 Fire fighting : Use water spray to cool fire exposure surfaces and to protect personnel. Use foam, dry chemical, or water spray to extinguish fire.  
 Hazardous product of combustion : Carbon monoxide (CO).  
 Unusual fire & explosion hazard : None known.  
 Protection of fire fighters : Wear protective clothing & use self-contained breathing apparatus.






**PT. ETERNAL BUANA CHEMICAL INDUSTRIES**



BARCLAYS HOUSE, 7th FLOOR  
JI. JEND. SUDIRMAN KAV 22-23 JAKARTA  
Phone: (021) 5712998, Fax: (021) 5712678

No. : EBCI/MSDS/8010  
Issue date : June 01, 2001  
Rev. no. :  
Rev. date :  
Page no. : 2 of 3

**VI. ACCIDENTAL RELEASE MEASURES**

-  Personal precaution : Use protective equipment.
-  Environmental precaution : Keep away from drains, ground water & soil.
-  Method for cleaning up : Collect as much as possible in a container for disposal. Cover the remainder with inert absorbent, sand or soil. Disposal according to local regulations.





**VII. STORAGE AND HANDLING**

-  Handling : Keep away from heat, sources of ignition, and no smoking.
-  Storage : Keep in a cool, dry and well-ventilated place.






This product is stable under normal conditions of handling and storage.

**VIII. PERSONAL PROTECTION**

Personal Protective Equipment

-  Eyes : Use safety glasses with side shield.
-  Hands : Although this material doesn't irritate skin significantly. To minimize skin contamination by following good industrial practice. Wearing protective gloves is recommended.
-  Skin & body : Although this material doesn't irritate skin significantly. To minimize skin contamination by following good industrial practice. Wash contaminated skin thoroughly after handling. Avoid breathing vapour.
-  Respiratory system : Use local exhaust ventilation or handle in a ventilated enclosure. For greater protection wear respiratory protective equipment is recommended.

**IX. PHYSICAL PROPERTIES**

-  Physical state & appearance : Clear liquid.
-  Odor : Hydrocarbon odor.
-  Boiling point : 120 – 140°C
-  Water solubility : Insoluble
-  Specific Gravity (25°C) : ca. 1.023

**X. STABILITY & REACTIVITY**

-  Stability : Stable
-  Condition to avoid : Excessive heating.
-  Material to avoid : None known
-  Hazardous Decomposition Product : None known



**PT. ETERNAL BUANA CHEMICAL INDUSTRIES**

BARCLAYS HOUSE, 7th FLOOR  
JI. JEND. SUDIRMAN KAV 22-23 JAKARTA  
Phone: (021) 5712998, Fax: (021) 5712678

No. : EBCI/MSDS/8010  
Issue date : June 01, 2001  
Rev. no. :  
Rev. date :  
Page no. : 3 of 3

## XI. TOXICOLOGICAL INFORMATION

Continental has not conducted toxicity studies on this material. No toxicological information is available

## XII. ECOLOGICAL INFORMATION




Continental has not conducted environmental toxicity or biodegradation studies on this material. No ecological information of this material is available.

## XIII. DISPOSAL CONSIDERATION

 Disposal method : Controlled incineration or recycle.

## XIV. TRANSPORT INFORMATION

International transportation regulations :

 UN number : 1866  
 Proper shipping name : Resin in solution (flammable liquids)  
 Classification of Hazardous Materials : 3.3



## XV. REGULATORY INFORMATION

 Local regulation : No available

## XVI. OTHER INFORMATION

This above data and information applies to the product as such and confirming to specifications given by Continental Research & Development. While the information is believed to be correct, Continental shall in no event be responsible for any damages what so ever, directly or indirectly resulting from the publication or use of or reliance upon data contained here in. Users are advised of possible additional hazard when the product is used in applications for which it was not intended. This sheet only be used and reproduced for prevention and security purposes.